



# Installation instructions movable walls

## INSTALLATION INSTRUCTIONS WINAB MOVABLE WALLS

### BASIC INFORMATION

The movable walls consist of sections that hang on a carrier rail. The sections are clamped between the carrier rail and the floor. There are no floor rail tracks. The movable wall may be two-point suspended or single-point suspended requiring one or two carrier rails. If it is a two-point suspended wall there will be a garage. Single-point suspended walls do not have a garage.

1. Measure the closure line. Ensure that the wall has the correct dimensions.
2. Check the garage measurements. The garage must fit into the allocated space.

The garage must not be cut. The straight lengths are supplied slightly too long. Never cut shorter than indicated by the closing line from the drawing.

### GARAGE INSTALLATION

1. Drill holes at the appropriate distances
2. Screw the garage from below using the guide drawing.

### INSATLLATION OF STRAIGHT TRACKS

1. Drill holes at the appropriate distances.
2. Cut if necessary according to the dimensions the drawing indicates.
3. Screw the track rail from below according to the guide drawing. NOTE! Save the last track section until all of the sections have been hung in place.
4. Use the enclosed clips in the rail joints.

### INSTALATION OF SECTIONS

1. The sections are hung on rails in the order as indicated in the accompanying drawing.
2. Turn up the last piece of rail.
3. The frames are assembled on site plumb over the top track.
4. Carrier rails adjusted so that the sections centered between the floor and roof then the lock nuts preferred (keys 24 mm, 18 mm and 13 mm).
5. Add to the wall and ceiling to ensure a tight mounting.
6. Follow the Operation and Maintenance Instructions to check the wall function.

THANK YOU FOR CHOOSING A WINAB MOVABLE WALL.

If there will be any problem with the installation please contact us.



WINAB VIKVÄGGAR AB

Box 38, 178 21 Ekerö. Visit address: Ekerövägen, Asknäs

Tel: +46 8-560 211 00 Email: [info@winab.se](mailto:info@winab.se)